1   1.   A method comprising:

2   establishing a plurality of sessions at a given

3   packet data protocol address; and

4   separately assessing charges for each of those

5   sessions.

1   2.   The method of claim 1 including estimating the

2   charges for all legs of mobile terminated calls.

1   3.   The method of claim 1 including providing a real

2   time estimate of charges for each of those sessions.

1   4.   The method of claim 1 including using information

2   from Advice of Charge supplementary services.

1   5.   The method of claim 1 including using quality of

2   service parameters to supplement the estimate of costs for

3   each session.

1   6.   The method of claim 1 including utilizing

2   mobility management state information to estimate real time

3   charges per session.

1   7.   An article comprising a medium storing

2   instructions that enable a processor-based system to:

3   establish a plurality of communication sessions
4 at a given packet data protocol address; and
5   separately assess charges for each of those
6 sessions.

1   8.   The article of claim 7 further storing
2 instructions that enable the processor-based system to
3 estimate the charges for all legs of mobile terminated
4 calls.

1   9.   The article of claim 7 further storing
2 instructions that enable the processor-based system to
3 provide a real time estimate of charges for each of those
4 sessions.

1   10. The article of claim 7 further storing
2 instructions that enable the processor-based system to
3 use information from Advice of Charge supplementary
4 services.

1   11. The article of claim 7 further storing
2 instructions that enable the processor-based system to
3 use quality of service parameters to supplement the
4 estimate of cost for each session.

1   12.   The article of claim 7 further storing
2   instructions that enable the processor-based system to
3   utilize mobility management state information to estimate
4   real time charges per session.

1   13.   A wireless telephone comprising:
2   a processor; and
3   a storage storing instructions that enable the
4   processor to establish a plurality of sessions at a given
5   packet data protocol address and separately assess
6   charges for each of said sessions.

1   14.   The telephone of claim 13 wherein said software
2   stores instructions enable the processor to estimate the
3   charges for all legs of mobile terminated calls.

1   15.   The telephone of claim 13 wherein said software
2   storage stores instructions that enable the processor to
3   provide a real time estimate of the charges for each
4   session.

1   16.   The telephone of claim 13 wherein said storage
2   stores instructions that enable the processor to use
3   information from the Advice of Charge supplementary
4   services.

1   17.   The telephone of claim 13 wherein said storage
2   stores instructions that enable the processor to use
3   quality of service parameters to supplement the estimate
4   of cost for each session.

1   18.   The telephone of claim 13 wherein said storage
2 stores instructions that enable the processor to utilize
3 mobility management state information to estimate real
4 time charges per session.

1   19.   The telephone of claim 13 wherein said
2 telephone receives voice, data, and streaming video.

1   20.   The telephone of claim 13 wherein said
2 telephone is a third generation wireless telephone.

1   21.   A method comprising:
2   accessing mobility management information for
3 call origination and call termination; and
4   using the mobility management information to
5 assess a charge for a telephonic communication.

1   22.   The method of claim 21 including using the
2 mobility management information to determine if a
3 telephone call is a roaming or non-roaming call.

1   23.   The method of claim 21 including determining a
2 charge for a non-roaming leg when a call is mobile
3 terminated.

1   24.   An article comprising a medium storing
2 instructions that enable a processor-based system to:
3   access mobility management information for call
4 origination and call termination; and
5   use the mobility management information to
6 assess a charge for a telephonic communication.

12

1   25.   The article of claim 24 further storing
2 instructions that enable the processor-based system to
3 use the mobility management information to determine if a
4 telephone call is a roaming or non-roaming call.

1   26.   The article of claim 24 further storing
2 instructions that enable the processor-based system to
3 determine a charge for a non-roaming leg when the call is
4 mobile terminated.

1   27.   A wireless telephone comprising:
2   a processor; and
3   a storage storing instructions that enable the
4 processor to access mobility management information for
5 both call origination and call termination and use the
6 mobility management information to assess a charge for a
7 telephonic communication.

1   28.   The system of claim 27 wherein said storage
2 stores instructions that enable the processor to use the
3 mobility management information to determine if a
4 telephone call is a roaming or non-roaming call.

1   29.   The system of claim 27 wherein said storage
2 stores instructions that enable the processor to
3 determine a charge for a non-roaming leg when a call is
4 mobile terminated.

1   30.   The system of claim 27 wherein said telephone
2 is a third generation wireless telephone.